

Rolling Plains is soliciting bids for a 4-post, 18,000-pound vehicle lift. Disassembly and removal of lift will be the responsibility of the winning bidder. Lift must be removed within 14 days after close. Lift is currently operational and is being sold "as is". Lift may be viewed by appointment at 118 N.1, Crowell Texas. Bids must be submitted by 5P.M. May 2nd, 2025. Email bids to mark.halsell@rollingplains.org. Rolling Plains reserves the right to reject any or all bids.

Lift specifications

Name Brand: Forward Lift

Model Number: CR18001

Serial Number: KPF11H0001

Capacity Pounds: 18000

Measurements:

Ramp length: 21'

Post width: 10'

Required Voltage: 208-230



IMPORTANT
DO NOT REMOVE THIS TAG
WARRANTY IDENTIFICATION

NP909

800-423-1722

MODEL: CR18N001
CAP. lbs: 18000

SERIAL NUMBER

KPF11H0001

208-230V
1PH/60HZ
17A




MANUFACTURED UNDER ONE OF THESE PATENTS

MADE IN US



ANSI Accredited Program
PRODUCT CERTIFICATION



AL00210065F



AL00210065F

CERTIFIED AUTOMOTIVE LIFT

Automotive Lift Institute

ANSI Accredited Certification Program

Accreditation Number 0584

Verified and Administered by
Intertek Testing Services NA Inc.

TO THE PROVISIONS OF
ANSI/ALI ALCTV-2006

ETL LISTED

SAFETY STANDARD
FOR GARAGE EQUIPMENT

CONFORMS TO ANSI/U.L. STD 201

MOTOR OPERATED APPLIANCES
(HOUSEHOLD & COMMERCIAL)

CERTIFIED TO
CAN/CSA STD C22.2 NO.68

Intertek Testing Services NA Inc.
CORTLAND, NEW YORK 13045

ACTUATE TO
RELEASE
LATCHES

NP280

CAPACITY
18,000 LBS.
(8164 Kg.)

NP258 Rev. C



®

PT# FA7350 N° 11020431

PH 1 MAX AMB 40° C

DUTY INT INS F

THERMAL PROTECTION NO

HP 2 Kw 1.5

AMPS 17.5-16 VOLTS 208-230

HZ 60 RPM 1700 IP 54



WARNING: MOTOR MUST BE GROUNDED IN ACCORDANCE WITH LOCAL AND NATIONAL ELECTRICAL CODES TO PREVENT SERIOUS ELECTRICAL SHOCKS



Recognized Component

